

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	224	du.xa.	USPAT	OR	OFF	2005/01/10 16:59
S2	1	"6633992".pn.	USPAT	OR	OFF	2004/07/22 16:17
S3	7	US-5642061-\$.DID. OR US-5764089-\$.DID. OR US-5798938-\$.DID. OR US-6121807-\$.DID. OR US-6169422-\$.DID. OR US-6182233-\$.DID. OR US-6252425-\$.DID.	USPAT	OR	OFF	2004/07/22 16:18
S4	7	("4565934"   "4700086"   "4827160"   "5144163"   "5329176"   "5378942"   "5453708").PN.	USPAT	OR	OFF	2004/07/23 13:51
S5	6	"5642061".URPN.	USPAT	OR	OFF	2004/07/23 14:04
S6	3	"5642061".URPN. and enabl\$3	USPAT	OR	OFF	2004/07/23 14:04
S7	394	(pre-charge precharge) with evaluate	USPAT	OR	OFF	2005/01/12 15:15
S8	934	(pre-charge\$3 precharge\$3) with evaluat\$3	USPAT	OR	OFF	2005/01/10 17:03
S9	6458	evaluat\$3 near3 only	USPAT	OR	OFF	2005/01/10 15:47
S10	71	S8 same S9	USPAT	OR	OFF	2005/01/10 16:11
S11	2	(pre-charge\$3 precharge\$3) adj pulsed adj clock	USPAT	OR	OFF	2005/01/10 16:12
S12	695	(pre-charge\$3 precharge\$3) near3 until	USPAT	OR	OFF	2005/01/10 16:17
S13	41	S12.clm.	USPAT	OR	OFF	2005/01/10 16:13
S14	53	(pre-charge\$3 precharge\$3) near3 until with continu\$6	USPAT	OR	OFF	2005/01/10 16:17
S15	29	(pre-charge\$3 precharge\$3) with evaluat\$3 with separate	USPAT	OR	OFF	2005/01/12 15:14
S16	1190	326/95-98.ccls.	USPAT	OR	OFF	2005/01/12 15:14
S17	516	S16 and ((domino dynamic) near3 (circuit\$1 gate\$1))	USPAT	OR	OFF	2005/01/12 15:15
S18	1201	(pre-charge\$3 precharge\$3) same evaluat\$3	USPAT	OR	OFF	2005/01/12 16:35
S19	288	S17 and S18	USPAT	OR	OFF	2005/01/12 15:17
S20	149	(pre-charge\$3 precharge\$3) same evaluat\$3 same enable	USPAT	OR	OFF	2005/01/12 15:17
S21	34	S17 and S20	USPAT	OR	OFF	2005/01/12 15:17
S22	887	(pre-charge\$3 precharge\$3) with "enable signal"	USPAT	OR	OFF	2005/01/12 16:36

S23	163	(pre-charg\$3 precharg\$3) with ("enable signal" near3 (low deactivat\$4 de-activat\$4 deassert\$4 de-assert\$4))	USPAT	OR	OFF	2005/01/12 16:41
S24	7	S23 and S16	USPAT	OR	OFF	2005/01/12 16:37
S25	6	S23 same evaluat\$3	USPAT	OR	OFF	2005/01/12 16:42